Journal of Applied Research on Industrial Engineering



www.journal-aprie.com

J. Appl. Res. Ind. Eng. Vol. 10, No. 1 (2023) 1-10.

Paper Type: Research Paper



A Compromise Solution for the Neutrosophic Multiobjective Linear Programming Problem and its Application in Transportation Problem

Elham Hosseinzadeh^{1,*}, Javad Tayyebi²

¹ Department of Mathematics, Kosar University of Bojnord, Bojnord, Iran; e.hosseinzadeh@kub.ac.ir. ² Department of Industrial Engineering, Birjand University of Technology, Birjand, Iran; javadtayyebi@birjandut.ac.ir.

Citation:



Hosseinzadeh, E., & Tayyebi, J. (2023). A compromise solution for the neutrosophic multiobjective linear programming problem and its application in transportation problem. *Journal of applied research on industrial engineering*, *10*(1), 1-10.

Received: 12/02/2022

22 Reviewed: 15/03/2022

Revised: 09/05/2022

Accepted: 01/07/2022

Abstract

Neutrosophic set theory plays an important role in dealing with the impreciseness and inconsistency in data encountered in solving real-life problems. The current paper focuses on the Neutrosophic Fuzzy Multi-Objective Linear Programming Problem (NFMOLPP), where the coefficients of the objective functions, constraints and right-hand side parameters are single-valued trapezoidal Neutrosophic Numbers (NNs). From the viewpoint of complexity of the problem, a ranking function of NNs is proposed to convert the problem into equivalent MOLPPs with crisp parameters. Then suitable membership functions for each objective are formulated using their lowest and highest value. With the aim of linear programming techniques, a compromise optimal solution of NFMOLPP is obtained. The main advantage of the proposed approach is that it obtains a compromise solution by optimizing truth-membership, indeterminacy-membership, and falsity-membership functions, simultaneously. Finally, a transportation problem is introduced as an application to illustrate the utility and practicality of the approach.

Keywords: Multiobjective programming problem, Neutrosophic set, Single valued trapezoidal, Neutrosophic number, Indeterminacy membership functions.

1 | Introduction

CC Licensee Journal of Applied Research on Industrial Engineering. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (http://creativecommons. org/licenses/by/4.0).

Optimizing more than one commensurable and/or conflicting objective function under a set of welldefined constraints is termed as Multi-Objective Programming Problems (MOPPs). Most often, many real-world applications, such as transportation, supplier selection, inventory control, supply chain planning, etc., take the form of MOLPs. While dealing with multiple objectives, it is not always possible to obtain a single solution that optimizes each objective function, efficiently. However, a compromise solution is possible that satisfies each objective, simultaneously. Therefore, the concept of compromise solutions is an important aspect and leads in search of the global optimality criterion. In the past few decades, a tremendous amount of research has been presented in the context of multiobjective optimization techniques.

Corresponding Author: e.hosseinzadeh@kub.ac.ir https://doi.org/10.22105/jarie.2022.328580.1451 A major disadvantage of fuzzy sets is its inability to efficiently represent imprecise and inconsistent information as it considers only the truth membership function [29]. Intuitionistic fuzzy set is a modification of fuzzy sets, which considered both the truth and falsity membership functions [4]. But it still had some drawbacks in depicting human-like decision making. In the last decade, a large number of studies on fuzzy and Intuitionistic fuzzy multi-objective optimization techniques have been presented. Among these studies, we can mention the works of Mahajan and Gupta [18], Borovička [6], Ahmadini and Ahmad [3], Yu et al. [26], and Rizk-allah et al. [20].

In 1998, a new type of sets called the neutrosophic set was introduced by Smarandache [22] to deal with decision making problems which involved incomplete, inconsistent and indeterminate information. Here indeterminacy is considered as an independent factor, which has a major contribution in decision making. Neutrosophic set helps in human-like decision making by considering truth, falsity and indeterminacy membership functions.

Ye et al. [24] presented some new operations of NNs to make them suitable for engineering applications. They proposed a neutrosophic function involving NNs. Then, they used it to solve neutrosophic linear programming problems [24], [25]. Ye et al. [23] analysed joint roughness coefficient taking the help of NN functions. NN generalized weighted power averaging operator formulated by Liu and Liu [17] and it is applied to multi-attribute group decision making in NN environment. Maiti et al. [19] proposed a goal programming strategy to solve multi-level Multi-Objective Linear Programming Problem (MOLPP) with NNs.

Recently, Deli and Şubaş [10] suggested a novel ranking method for single-valued NN and they applied it to multi-criteria decision-making problems. Ahmad et al. [1] discussed the energy-food-water nexus security management through neutrosophic modeling and optimizing approaches. Also, they presented a study on supplier selection problem with Type-2 fuzzy parameters and solved it using an interactive neutrosophic optimization algorithm [2]. Wang et al. [28] proposed a novel method to solve multiobjective linear programming problems with triangular NN. Kumar Das et al. [8] presented a novel lexicographical-based method for linear programming problems with trapezoidal NN. Their method uses a lexicographical order.

As a special instance of linear programming problems, many authors focused on solving transportation problems in fuzzy environment, such as the multi-objective case [11], [14], the case with fractional objectives [13], [16], the inverse version [12], the problem with heptagonal and pentagonal fuzzy numbers [9], [15], and the problem with fuzzy variables [7].

This paper attempts to formulate and to solve the multiobjective linear programming problem with Single-Valued Trapezoidal Neutrosophic (SVTN) parameters. This problem has mixed constraints, in which the coefficients of objectives, the coefficients of constraints and right-hand sides of constraints are SVTN numbers. A new method to find a compromise optimal solution of NFMOLP problem is proposed. In the proposed method, the accuracy function is used to transfer the NFMOLPP into equivalent crisp MOLPP. Finally, we apply the approach for a transportation problem to show its utility and performance.

The rest of this paper is organized as follows: In Section 2 basic concepts and algebra operations of NN are reviewed. Section 3 deals with modelling multiobjective linear programming problems with neutrosophic fuzzy parameters. In Section 4, a solution method for obtaining a compromise solution of NFMOLPP is introduced. In Section 5, the entire solution procedure is summarized in the form of an algorithm. In Section 6 a transportation problem as an application is presented. Finally, some concluding remarks are reported in Section 7.



2 | Preliminaries

JARIE

3

In this section, some basic concepts and definitions on neutrosophic sets and single-valued trapezoidal NN are reviewed from the literature.

Definition 1 ([13]). Let X be a nonempty set. A neutrosophic set (NS) \tilde{A}^N is defined as

$$A^{N} = \{ \langle x: T_{A} x \rangle, I_{A} x \rangle, F_{A}(x) \rangle, x \in X \}, T_{A} x \rangle, I_{A} x \rangle, F_{A} x \rangle \in]0^{-}, 1^{+}[\}.$$

Where $T_A x$, $I_A x$ and $F_A(x)$ are called truth-membership function, indeterminacy-membership function and falsity-membership function, respectively, and there is no restriction on the summation of them, so $0^- \le T_A x$ + $I_A x$ + $F_A x$ $\le 3^+$, and $]0^-, 1^+[$ is non-standard unit interval.

Since it is difficult to apply NSs to practical problems, Wang et al. [27] introduced the concept of a Single Valued Neutrosophic Set (SVNS), which is an instance of a NS and can be used in real scientific and engineering applications.

Definition 2. Let T_a , I_a , $F_a \in [0,1]$, then a Single-Valued Trapezoidal Neutrosophic Number (SVTNN) $a^N = \langle a_1, a_2, a_3, a_4 \rangle$; T_a , I_a , $F_a \rangle$ is a special *NS* on the real numbers \mathbb{R} , whose truth, indeterminacy and falsity membership functions are given as follows:

$$\begin{split} \mu_{a}(x) &= \begin{cases} T_{a}\left(\frac{x-a_{1}}{a_{2}-a_{1}}\right), & a_{1} \leq x \leq a_{2}, \\ T_{a}, & a_{2} \leq x \leq a_{3}, \\ T_{a}\left(\frac{x-a_{4}}{a_{4}-a_{3}}\right), & a_{3} < x \leq a_{4}, \\ 0, & \text{oherwise.} \end{cases} \\ \lambda_{a}(x) &= \begin{cases} \frac{a_{2}-x+I_{a}(x-a_{1})}{a_{2}-a_{1}}, & a_{1} \leq x \leq a_{2}, \\ I_{a}, & a_{2} \leq x \leq a_{3}, \\ \frac{x-a_{3}+I_{a}(a_{4}-x)}{a_{4}-a_{3}}, & a_{3} < x \leq a_{4}, \\ 1, & \text{oherwise.} \end{cases} \\ \nu_{a}(x) &= \begin{cases} \frac{a_{2}-x+F_{a}(x-a_{1})}{a_{2}-a_{1}}, & a_{1} \leq x \leq a_{2}, \\ \frac{x-a_{3}+I_{a}(a_{4}-x)}{a_{4}-a_{3}}, & a_{3} < x \leq a_{4}, \\ 1, & a_{2} \leq x \leq a_{3}, \\ \frac{x-a_{3}+F_{a}(a_{4}-x)}{a_{4}-a_{3}}, & a_{3} < x \leq a_{4}, \\ \frac{x-a_{3}+F_{a}(a_{4}-x)}{a_{4}-a_{3}}, & a_{3} < x \leq a_{4}, \\ 1, & \text{oherwise,} \end{cases} \end{split}$$

where, T_a , I_a and F_a are the maximum truth, minimum indeterminacy, and minimum falsity membership degrees, respectively.

Definition 3. Let $\tilde{a}^N = \langle (a_1, a_2, a_3, a_4); T_{\tilde{a}}, I_{\tilde{a}}, F_{\tilde{a}} \rangle$ and $\tilde{b}^N = \langle (b_1, b_2, b_3, b_4); T_{\tilde{b}}, I_{\tilde{b}}, F_{\tilde{b}} \rangle$ be two arbitrary SVTNNs and $\gamma \neq 0$ be any real number, then

I.
$$a^N + b^N = \langle a_1 + b_1, a_2 + b_2, a_3 + b_3, a_4 + b_4 \rangle$$
; $T_a \wedge T_b, I_a \vee I_b, F_a \vee F_b \rangle$.

II.
$$a^N - b^N = \langle a_1 - b_4, a_2 - b_3, a_3 - b_2, a_4 - b_1 \rangle$$
; $T_a \wedge T_b, I_a \vee I_b, F_a \vee F_b \rangle$

$$\text{III.} \quad \gamma a^N = \begin{cases} \langle \gamma a_1, \gamma a_2, \gamma a_3, \gamma a_4 \rangle; \ T_a, I_a, F_a \rangle, & \gamma > 0, \\ \langle \gamma a_4, \gamma a_3, \gamma a_2, \gamma a_1 \rangle; \ T_a, I_a, F_a \rangle, & \gamma < 0. \end{cases}$$

Definition 4. Let $a^N = \langle a_1, a_2, a_3, a_4 \rangle$; $T_a, I_a, F_a \rangle$ be a SVTNN. Then, the score function $S(a^N)$ and accuracy function $A(a^N)$ of a SVTNN are respectively defined as follows:

I. $S(a^N) = \frac{1}{16}a_1 + a_2 + a_3 + a_4)(T_a + 1 - I_a) + 1 - F_a)$. II. $A(a^N) = \frac{1}{16}a_1 + a_2 + a_3 + a_4)(T_a + 1 - I_a) - 1 - F_a)$.

Definition 5. Suppose $a^N = \langle a_1, a_2, a_3, a_4 \rangle$; $T_a, I_a, F_a \rangle$ and $b^N = \langle b_1, b_2, b_3, b_4 \rangle$; $T_b, I_b, F_b \rangle$ be any two SVTNNs. Then, we define a ranking method as follows:

I. If
$$S(a^N) > S(b^N)$$
 then $a^N > b^N$

II. If $S(a^N) = S(b^N)$ and if $A(a^N) > A(b^N)$ then $a^N > b^N$, $A(a^N) < A(b^N)$ then $a^N < b^N$, $A(a^N) = A(b^N)$ then $a^N = b^N$.

Theorem 1. Let $g: \mathbb{S} \to \mathbb{R}$, $\mathbb{S} \subset \mathbb{R}^n$ be a real valued function. If g is a convex function, then $\{x: g(x) \le c, \forall c \in \mathbb{R}\}$ is a convex set and if g is a concave function, then $\{x: g(x) \ge c, \forall c \in \mathbb{R}\}$ is a convex set.

3 | Problem Formulation

The general form of a MOLPP with k objectives can be described as follows:

$$\begin{array}{ll} \min & Z \; x) = [Z_1 \; x), Z_2 \; x), \dots, Z_r \; x)], \\ \text{s. t.} & \sum_{j=1}^n a_{ij} x_j \geq b_i, \quad i = 1, 2, \dots, m_1, \\ & \sum_{j=1}^n a_{ij} x_j \leq b_i, \quad i = \; m_1 + 1, \; m_1 + 2, \dots, m_2, \\ & \sum_{j=1}^n a_{ij} x_j = b_i, \quad i = \; m_2 + 1, \; m_2 + 2, \dots, m, \\ & x_j \geq 0, \quad j = 1, 2, \dots, n, \end{array}$$

where $Z_k x$ = $\sum_{k=1}^{r} c_{kj} x_j$, $k = 1, 2, \dots, r$ is the k-th objective function.

Definition 6. Let S be the set of all feasible solutions for Eq. (1). A point x^* is said to be an efficient or Pareto optimal solution of Eq. (1) if there does not exist any $x \in S$ such that, $Z_k(x^*) \ge Z_k(x)$ for every k, and $Z_k(x^*) > Z_k(x)$ for at least one k.

If all the parameters of *Problem (1)* are uncertain, and they can be represented by SVTNNs, then *Problem (1)* becomes a Neutrosophic Fuzzy Multi-Objective Linear Programming Problem (NFMOLPP) as follows:

$$\begin{array}{ll} \min & Z^{N} x \end{pmatrix} = \begin{bmatrix} Z_{1}^{N} x \end{pmatrix}, Z_{2}^{N} x \end{pmatrix}, \dots, Z_{r}^{N} x \end{pmatrix} \end{bmatrix}, \\ \text{s.t.} & \sum_{j=1}^{n} a_{ij}^{N} x_{j} \ge b_{i}^{N}, \quad i = 1, 2, \dots, m_{1}, \\ & \sum_{j=1}^{n} a_{ij}^{N} x_{j} \le b_{i}^{N}, \quad i = m_{1} + 1, \ m_{1} + 2, \dots, m_{2}, \\ & \sum_{j=1}^{n} a_{ij}^{N} x_{j} = b_{i}^{N}, \quad i = m_{2} + 1, \ m_{2} + 2, \dots, m, \\ & x_{j} \ge 0, \qquad j = 1, 2, \dots, n, \\ & \text{are } \tilde{Z}^{N} = \sum_{j=1}^{n} (\tilde{c}, j)^{N} x, \ k = 1, 2, \dots, r. \end{array}$$

where $\tilde{Z}_{k}^{N} = \sum_{j=1}^{n} (\tilde{c}_{kj})^{N} x_{j}, k = 1, 2, ..., r.$

Using accuracy function which is linear, Problem (2) is converted into the following crisp MOLPP:



$$\begin{array}{ll} \min & Z' \; x) = [Z'_1 \; x), Z'_2 \; x), \dots, Z'_r \; x)], \\ \mathrm{s. t.} & \sum_{j=1}^n a'_{ij} x_j \geq b'_i, \quad i = 1, 2, \dots, m_1, \\ & \sum_{j=1}^n a'_{ij} x_j \leq b'_i, \quad i = \; m_1 + 1, \; m_1 + 2, \dots, m_2, \\ & \sum_{j=1}^n a'_{ij} x_j = b'_i, \quad i = \; m_2 + 1, \; m_2 + 2, \dots, m, \\ & x_j \geq 0, \qquad j = 1, 2, \dots, n. \end{array}$$

Where $Z'_k(x) = A(Z^N_k x) = \sum_{j=1}^n A((c_{kj})^N) x_j$, $\forall k = 1, 2, ..., r$; $b'_i = A(b^N_i)$ and $a'_{ij} = A(a^N_{ij})$ for all i = 1, ..., m, j = 1, ..., n.

Theorem 2 ([21]). An efficient solution for crisp MOPP (3) is an efficient solution for NFMOLPP (2).

Thus, solving the NFMOLPP Model (2) is equivalent to solving the crisp MOLPP Model (3).

4 | Solution Method

In this section, we restrict our attention to NFMOLPP and present an approach to solve it.

By using the definition of the fuzzy decision proposed by Bellman and Zadeh [5], we can characterize the fuzzy decision set D as follows:

 $\mathsf{D}=\mathsf{Z}\cap\mathsf{C},$

where Z and C are fuzzy goals and fuzzy constraints, respectively.

In a similar manner, we also introduce the neutrosophic decision set D^N , which consider neutrosophic goals and constraints as follows:

$$\mathsf{D}^{\mathsf{N}} = \left(\bigcap_{k=1}^{\mathsf{r}} Z_k\right) \cap \left(\bigcap_{i=1}^{\mathsf{m}} C_i\right).$$

Where

$$\begin{split} & \mu_{\mathrm{D}^{\mathrm{N}}} \ \mathbf{x}) = \min \big\{ \mu_{Z_{1}} \ \mathbf{x}), \dots, \mu_{Z_{\mathrm{r}}}, \mu_{C_{1}}, \dots, \mu_{C_{\mathrm{m}}}, \forall \ \mathbf{x} \ \in X \big\}, \\ & \lambda_{\mathrm{D}^{\mathrm{N}}} \ \mathbf{x}) = \max \big\{ \lambda_{Z_{1}} \ \mathbf{x}), \dots, \lambda_{Z_{\mathrm{r}}}, \lambda_{C_{1}}, \dots, \lambda_{C_{\mathrm{m}}}, \forall \ \mathbf{x} \ \in X \big\}, \\ & \nu_{\mathrm{D}^{\mathrm{N}}} \ \mathbf{x}) = \max \big\{ \nu_{Z_{1}} \ \mathbf{x}), \dots, \nu_{Z_{\mathrm{r}}}, \nu_{C_{1}}, \dots, \nu_{C_{\mathrm{m}}}, \forall \ \mathbf{x} \ \in X \big\}, \end{split}$$

are the truth, indeterminacy and the falsity membership functions of neutrosophic decision set D^N , respectively.

In the sequal, we solve the multi-objective programming problem by considering one objective function at a time and ignoring the others. Then, we find minimum and maximum values of each objective function. Let L_k be the minimum value and U_k be the maximum value of Z_k , i.e.,

$$U_k = \max [Z_k x]$$
 and $L_k = \min [Z_k x]$ $\forall k = 1, 2, ..., r.$ (4)

The bounds for the k-th objective function under the neutrosophic environment can be obtained as follows:

$$U_{k}^{\mu} = U_{k\prime} L_{k}^{\mu} = L_{k\prime} \qquad \text{for truth membership,} \qquad (5)$$
$$U_{k}^{\lambda} = U_{k\prime}^{\mu} + s_{k\prime} L_{k\prime}^{\lambda} = L_{k\prime}^{\mu} \qquad \text{for indeterminacy membership,} \qquad (6)$$

 $U_{k}^{\nu} = U_{k}^{\mu} + s_{k}, \quad L_{k}^{\nu} = L_{k}^{\mu}, \quad \text{for indeterminacy membership,}$ (6) $U_{k}^{\nu} = U_{k}^{\mu}, \quad L_{k}^{\nu} = L_{k}^{\mu} + t_{k}, \quad \text{for falsity membership,}$ (7) where $s_k, t_k \in (0,1)$ are predetermined real numbers prescribed by decision-makers. For each objective function, consider truth membership function $\mu_k(Z_k x)$, indeterminacy membership function $\lambda_k(Z_k x)$ and falsity membership function $\nu_k(Z_k x)$ as the following functions:

$$\begin{split} \mu_{k}(Z_{k} \ x)) &= \begin{cases} 1, & Z_{k} \ x) \leq L_{k}^{\mu}, \\ U_{k}^{\mu} - L_{k}^{\mu}, & L_{k}^{\mu} \leq Z_{k} \ x) \leq U_{k}^{\mu}, \\ 0, & Z_{k} \ x) \geq U_{k}^{\mu}. \\ 0, & Z_{k} \ x) \geq U_{k}^{\mu}. \end{cases} \tag{8} \\ \lambda_{k}(Z_{k} \ x)) &= \begin{cases} 0, & Z_{k} \ x) \geq U_{k}^{\mu}, \\ U_{k}^{\lambda} - L_{k}^{\lambda}, & L_{k}^{\lambda} \leq Z_{k} \ x) \leq U_{k}^{\nu}, \\ 1, & Z_{k} \ x) \geq U_{k}^{\nu}. \\ 1, & Z_{k} \ x) \geq U_{k}^{\nu}. \end{cases} \end{cases} \tag{9} \\ \nu_{k}(Z_{k} \ x)) &= \begin{cases} 0, & Z_{k} \ x) \leq L_{k}^{\nu}, \\ U_{k}^{\lambda} - L_{k}^{\lambda}, & L_{k}^{\lambda} \leq Z_{k} \ x) \leq U_{k}^{\nu}, \\ 1, & Z_{k} \ x) \leq L_{k}^{\nu}, \\ U_{k}^{\nu} - L_{k}^{\nu}, & L_{k}^{\nu} \leq Z_{k} \ x) \leq U_{k}^{\nu}, \end{cases} \tag{10} \end{split}$$

Since, decision maker wants to maximize the range of acceptance and to minimize the range of rejection, we are looking for a solution with the maximum degree of membership and the minimum degree of nonmembership.

In this regard, according to the concept of fuzzy decision set [5], an optimal compromise solution can be selected as the design for which it maximizes the minimum truth degree (acceptance) and minimize the maximum indeterminacy (rejection up to some extent) and a falsity (rejection) degree by taking all objectives, simultaneously. Therefore, according to the fuzzy decision of Belman and Zadeh [16], we have to solve the following multiobjective programming problem:

Maximize
$$(\min\{\mu_1(Z_1 \ x)), \dots, \mu_r(Z_r \ x))\}),$$

Minimize $(\max\{\lambda_1(Z_1 \ x)), \dots, \lambda_r(Z_r \ x))\}),$
Minimize $(\max\{\nu_1(Z_1 \ x)), \dots, \nu_r(Z_r \ x))\}),$
s.t. all the constraints of 3).
(11)

Suppose that $\alpha = \min_{k=1,\dots,r} \mu_k(Z_k x)$, $\beta = \max_{k=1,\dots,r} \lambda_k(Z_k x)$ and $\gamma = \max_{k=1,\dots,r} \nu_k(Z_k x)$.

Therefore, Problem (11) can be rewritten in the form of

 $\begin{array}{lll} \text{Maximize} & \alpha, \\ \text{Minimize} & \beta, \\ \text{Minimize} & \gamma, \\ \text{s.t.} & \mu_k(Z_k x) \ge \alpha, \quad k = 1, \dots, r, \\ \lambda_k(Z_k x) \ge \beta, \quad k = 1, \dots, r, \\ \nu_k(Z_k x) \ge \gamma, \quad k = 1, \dots, r, \\ \alpha \ge \beta, \quad \alpha \ge \gamma, \quad \alpha + \beta + \gamma \le 3, \\ \alpha, \beta, \gamma \in 0, 1). \end{array}$

All the constraints of Eq. (3).

Using the weighted sum method and by setting the Relations (8), (10) and (9), the Problem (12) can be formed into the following equivalent problem:

$$\begin{array}{ll} \text{Max} & w_{1}\alpha - w_{2} \ \beta - w_{3}\gamma, \\ \text{s.t.} & Z_{k} \ x) + \left(U_{k}^{\mu} - L_{k}^{\mu}\right) \alpha \leq U_{k}^{\mu}, \quad k = 1, \dots, r, \\ Z_{k} \ x) - \left(U_{k}^{\lambda} - L_{k}^{\lambda}\right) \beta \leq L_{k}^{\lambda}, \quad k = 1, \dots, r, \\ Z_{k} \ x) - \ U_{k}^{\nu} - L_{k}^{\nu}\right) \gamma \leq L_{k}^{\nu}, \quad k = 1, \dots, r, \\ \alpha \geq \beta, \quad \alpha \geq \gamma, \quad \alpha + \beta + \gamma \leq 3, \quad \alpha, \beta, \gamma \in 0, 1). \end{array}$$

$$(13)$$

, .*IARIE*

6

All the constraints of Eq. (3).

Theorem 3. If $(\hat{x}, \hat{\alpha}, \beta, \hat{\gamma})$ is a unique optimal solution of *Problem (13)*, then $(\hat{x}, \hat{\alpha}, \beta, \hat{\gamma})$ is an efficient solution for *Problem (3)*.

Proof: On contrary, suppose that $(\hat{x}, \hat{\alpha}, \beta, \hat{\gamma})$ is not an efficient solution for *Problem (3)*. Then, there exists a feasible solution $x^* \neq \hat{x}$ to *Problem (3)*, such that $Z_k x^* \leq Z_k(\hat{x})$ for all k = 1, ..., r and $Z_k x^* < Z_k(\hat{x})$ for at least one k. Therefore, $\frac{Z_k x^* - L_k^Y}{U_k^Y - L_k^Y} \leq \frac{Z_k (\hat{x}) - L_k^Y}{U_k^Y - L_k^Y}$ for all k = 1, ..., r and $\frac{Z_k x^* - L_k^Y}{U_k^Y - L_k^Y}$ for at least one k. Thus, $max\left(\frac{Z_k x^* - L_k^Y}{U_k^Y - L_k^Y}\right) \leq (<) max\left(\frac{Z_k (\hat{x}) - L_k^Y}{U_k^Y - L_k^Y}\right)$. Let $\gamma^* = max\left(\frac{Z_k x^* - L_k^Y}{U_k^Y - L_k^Y}\right)$ then $\gamma^* \leq <)\hat{\gamma}$. Similarly, consider that Let $\beta^* = max\left(\frac{Z_k x^* - L_k^Y}{U_k^Y - L_k^Y}\right)$ then $\beta^* \leq <)\beta$.

In the same manner, we have $\frac{u_k^{\mu}-z_k x^*}{u_k^{\mu}-L_k^{\mu}} \ge \frac{u_k^{\mu}-Z_k \hat{x}}{u_k^{\mu}-L_k^{\mu}}$ for all k = 1, ..., r and $\frac{u_k^{\mu}-z_k x^*}{u_k^{\mu}-L_k^{\mu}} > \frac{u_k^{\mu}-Z_k \hat{x}}{u_k^{\mu}-L_k^{\mu}}$ for at least one k.

Hence, $\min_{k} \left(\frac{U_{k}^{\mu} - Z_{k} x^{*}}{U_{k}^{\mu} - L_{k}^{\mu}} \right) \geq > \min_{k} \left(\frac{U_{k}^{\mu} - Z_{k} \hat{x}}{U_{k}^{\mu} - L_{k}^{\mu}} \right)$. Let $\alpha^{*} = \min_{k} \left(\frac{U_{k}^{\mu} - Z_{k} x^{*}}{U_{k}^{\mu} - L_{k}^{\mu}} \right)$ this gives $\left(\hat{\alpha} - \beta - \hat{\gamma} \right) < (\alpha^{*} - \beta^{*} - \gamma^{*})$ which means that the solution is not unique optimal. This contradicts the fact that $\left(\hat{x}, \hat{\alpha}, \beta, \hat{\gamma} \right)$ is the unique optimal solution of E_{q} . (13). Hence, it is an efficient solution of E_{q} . (3).

5 | Compromise Solution Algorithm for NFMOLPP

In this section, we summarize the compromise solution procedure developed in Section 4 as the following algorithm.

Step 1. Formulate the NFMOLPP as given in Problem (1).

Step 2. Transform the NFMOLPP into crisp MOLPP as given in Problem (3) by the accuracy function.

Step 3. Find an optimal solution of each single objective LPP and determine the upper and lower bounds by using Eq. (4).

Step 4. Using U_k and L_k , obtain the upper and lower bounds for truth, indeterminacy and falsity membership function as given in *Eqs. (5)-(7)*.

Step 5. Use linear membership functions as given in Eqs. (9)-(10) and transform the optimization Problem (12) to crisp programming model as in Eq. (13).

Step 6. Solve crisp programming Problem (13) using suitable techniques or software packages.

6 | Numerical Example

To illustrate the application of the proposed approach for a real-life transportation problem, the following numerical example is considered. Since, the parameters of transportation problem vary due to various uncertain situation like weather condition, traffic condition, petroleum price, the crisp value of parameters cannot deal the situation properly. To address this situation, we express parameters by SVTNNs.

Example 1. Consider a transportation problem in which we have two objectives with 2 sources and 3 destinations. The cost of transportation per vehicle is denoted by C_1^N appeared in the first objective and amount of carbon dioxide (CO_2) emission per vehicle C_2^N is appeared in the second objective. The

7

neutrosophic fuzzy parameters related to this example are summarized in *Table 1*. The supply of two origins and the demand of three destinations are all SVTN numbers given as follows:



8

Table 1. Neutrosphic fuzzy parameters for $c_{ii}^{1/N}$ if and $c_{ii}^{2/N}$.

	rj rj
$c_{11}^{(1)N} = \langle (20, 30, 40, 50); 0.8, 0.3, 0.6 \rangle$	$c_{21}^{(1)N} = \langle (45, 55, 65, 75); 0.8, 0.5, 0.3 \rangle$
$c_{12}^{(1)N} = \langle (50, 60, 70, 80); 0.6, 0.4, 0.3 \rangle$	$c_{22}^{(1)N} = \langle (55, 65, 90, 105); 0.7, 0.4, 0.5 \rangle$
$c_{13}^{(1)N} = \langle (80, 90, 110, 120); 0.7, 0.2, 0.5 \rangle$	$c_{23}^{(1)N} = \langle (30, 40, 60, 70); 0.9, 0.5, 0.3 \rangle$
$c_{11}^{(2)N} = \langle (8, 12, 14, 18); 0.7, 0.4, 0.3 \rangle$	$c_{21}^{(2)N} = \langle (25, 35, 40, 50); 0.9, 0.2, 0.4 \rangle$
$c_{12}^{(2)N} = \langle (30, 40, 45, 55); 0.8, 0.2, 0.6 \rangle$	$c_{22}^{(2)N} = \langle (11, 16, 20, 25); 0.6, 0.3, 0.5 \rangle$
$c_{13}^{(2)N} = \langle (18, 24, 30, 36); 0.6, 0.2, 0.5 \rangle$	$c_{23}^{(2)N} = \langle (18, 26, 32, 40); 0.7, 0.3, 0.4 \rangle$

 $\begin{array}{l} a_1^N = \langle \ 60, 80, 100, 120 \rangle; 0.8, 0.3, 0.4 \rangle, \quad a_2^N = \langle \ 45, 65, 85, 105 \rangle; 0.7, 0.3, 0.5 \rangle, \\ b_1^N = \langle \ 35, 55, 75, 95 \rangle; 0.6, 0.2, 0.5 \rangle, \quad b_2^N = \langle \ 20, 30, 40, 50 \rangle; 0.9, 0.4, 0.6 \rangle, \\ b_3^N = \langle \ 50, 60, 70, 80 \rangle; 0.6, 0.2, 0.7 \rangle. \end{array}$

Now, the mathematical formulation of the problem can be stated as follows:

min	$Z_1^{\rm N} = \sum_{i=1}^2 \sum_{j=1}^3 c_{ij}^{1){\rm N}} x_{ij\prime}$	
min	$Z_2^{\rm N} = \sum_{i=1}^2 \sum_{j=1}^3 c_{ij}^{2){\rm N}} x_{ij},$	
s.t	$\sum_{j=1}^{3} x_{ij} \le a_{i}, i = 1, 2,$	(14)
$\sum_{\substack{x_{ii} \geq x_{iii} \geq x_{ii} = x_{ii} =$	$x_{ij} \ge b_{j}, j = 1, 2, 3,$ $0 \forall i = 1, 2 \& j = 1, 2, 3.$	

Using the notion of accuracy Function (4), the crisp version of Problem (14) can be stated as follows:

 $\begin{array}{ll} \min & Z_1' = 27.125 \, x_{11} + 40.625 x_{12} + 75 x_{13} + 45 x_{21} + 55.125 x_{22} + 37.5 x_{23}, \\ \min & Z_2' = 9.1 \, x_{11} + 34 \, x_{12} + 19.575 \, x_{13} + 31.875 \, x_{21} + 12.66 \, x_{22} + 21.75 \, x_{23}, \\ \mathrm{s.t} & x_{11} + x_{12} + x_{13} \leq 65.25, \\ x_{21} + x_{22} + x_{23} \leq 54.375, \\ x_{11} + x_{21} \geq 47.125, \\ x_{12} + x_{22} \geq 27.125, \\ x_{13} + x_{23} \geq 50.375, \\ x_{\mathrm{ij}} \geq 0 \quad \forall \ \mathrm{i} = 1, 2 \, \& \, \mathrm{j} = 1, 2, 3. \end{array}$

The above problem is solved by taking only one objective function and neglecting the others. The solution sets are obtained as follows:

 $\begin{aligned} &z_1 = 4212.281, \\ &x_{11} = 47.125, \ x_{12} = 18.125, \ x_{13} = 0, \ x_{21} = 0, \ x_{22} = 9, \ x_{23} = 45.375. \\ &z_2 = 1718.097, \\ &x_{11} = 47.125, \ x_{12} = 0, \ x_{13} = 18.125, \ x_{21} = 0, \ x_{22} = 27.125, \ x_{23} = 27.25. \end{aligned}$

For each objective, the best and worst values are given as:

 $U_1 = 5154.781$, $L_1 = 4212.281$, and $U_2 = 2145.394$, $L_2 = 1718.097$.

After constructing *Problem (13)* using linear membership functions defined in *Relations (8)-(10)* and considering $w_1 = w_2 = w_3 = \frac{1}{3}$, we solved it by Lingo software, the following solution is obtained: $\alpha = 0.541$, $\beta = 0.495$, $\gamma = 0.499$, $x_{11} = 47.125$, $x_{12} = 7.172$, $x_{13} = 10.843$, $x_{21} = 0$, $x_{22} = 14.843$, $x_{23} = 39.532$.

7 | Conclusion

In this paper an effective modeling and optimization framework for the NFMOLPP is presented, where the coefficients of the objective functions, constraints and right-hand side parameters are single-valued trapezoidal NN. In the proposed method, a ranking function of NNs is used to convert the NFMOLPP into an equivalent crisp MOLPP. Then, using the best and worst values of objectives, an appropriate membership function for each objective function is defined to avoid decision deadlock situation in hierarchical structure. In this regard, according to the concept of fuzzy decision set, an optimal compromise solution is selected as the design which it maximizes the degree of acceptance and minimizes the degree of rejection upto some extent and rejection degree by taking all objectives simultaneously. The proposed approach can be used to solve real-world problems arising in industries and business organizations with imprecise and contradictory information. Finally, a transportation problem has been discussed to show the applicability of proposed approach.

Conflicts of Interest

All co-authors have seen and agree with the contents of the manuscript and there is no financial interest to report. We certify that the submission is original work and is not under review at any other publication.

References

- Ahmad, F., Ahmad, S., Zaindin, M., & Adhami, A. Y. (2021). A robust neutrosophic modeling and optimization approach for integrated energy-food-water security nexus management under uncertainty. *Water*, 13(2), 121.
- [2] Ahmad, S., Ahmad, F., & Sharaf, M. (2021). Supplier selection problem with type-2 fuzzy parameters: a neutrosophic optimization approach. *International journal of fuzzy systems*, 23, 755-775.
- [3] Ahmadini, A. A. H., & Ahmad, F. (2021). Solving intuitionistic fuzzy multiobjective linear programming problem under neutrosophic environment. *AIMS mathematics*, 6(5), 4556-4580.
- [4] Atanassov, K. T. (1986). Intuitionistic fuzzy sets. Fuzzy sets and systems, 20(1), 87-96.
- [5] Bellman, R. E., & Zadeh, L. A. (1970). Decision-making in a fuzzy environment. Management science, 17(4), B-141. https://doi.org/10.1287/mnsc.17.4.B141
- [6] Borovička, A. (2020). New complex fuzzy multiple objective programming procedure for a portfolio making under uncertainty. *Applied soft computing*, 96, 106607. https://doi.org/10.1016/j.asoc.2020.106607
- [7] Das, S. K. (2022). An approach to optimize the cost of transportation problem based on triangular fuzzy programming problem. *Complex & intelligent systems*, 8(1), 687-699. https://doi.org/10.1007/s40747-021-00535-2
- [8] Kumar Das, S., Edalatpanah, S. A., & Dash, J. K. (2021). A novel lexicographical-based method for trapezoidal neutrosophic linear programming problem. *Neutrosophic sets and systems*, 46(1), 12. https://digitalrepository.unm.edu/cgi/viewcontent.cgi?article=1944&context=nss_journal
- [9] Das, S. K. (2020). Application of transportation problem under pentagonal neutrosophic environment. *Journal of fuzzy extension& applications*, 1(1), 27- 41. https://doi.org/10.22105/jfea.2020.246633.1001
- [10] Deli, I., & Şubaş, Y. (2017). A ranking method of single valued neutrosophic numbers and its applications to multi-attribute decision making problems. *International journal of machine learning and cybernetics*, 8(4), 1309-1322. https://doi.org/10.1007/s13042-016-0505-3
- [11] Khalifa, A. E. W. (2019). A signed distance method for solving multi-objective transportation problems in fuzzy environment. *International journal of research in industrial engineering*, *8*(3), 274-282.
- [12] Khalifa, H. A. E. W., Kumar, P., & Mirjalili, S. (2021). A KKM approach for inverse capacitated transportation problem in neutrosophic environment. *Sādhanā*, 46(3), 1-8.
- [13] Khalifa, H. A. E. W., Kumar, P., & Alharbi, M. G. (2021). On characterizing solution for multi-objective fractional two-stage solid transportation problem under fuzzy environment. *Journal of intelligent* systems, 30(1), 620-635.

JARIE



- [15] Khalifa, H. A. E. W. (2020). Goal programming approach for solving heptagonal fuzzy transportation problem under budgetry constraint. *Operations research and decisions*, *30*(1), 85-96.
- [16] Khalifa, H. A. E. W. (2019). Fuzzy compromise approach for solving interval-valued fractional multiobjective multi-product solid transportation problems. *Journal of system management*, 5(2), 1-20.
- [17] Liu, P., & Liu, X. (2018). The neutrosophic number generalized weighted power averaging operator and its application in multiple attribute group decision making. *International journal of machine learning and cybernetics*, 9, 347-358.
- [18] Mahajan, S., & Gupta, S. K. (2021). On fully intuitionistic fuzzy multiobjective transportation problems using different membership functions. *Annals of operations research*, 296, 211-241.
- [19] Maiti, I., Mandal, T., & Pramanik, S. (2020). Neutrosophic goal programming strategy for multi-level multi-objective linear programming problem. *Journal of ambient intelligence and humanized computing*, 11(8), 3175-3186.
- [20] Rizk-Allah, R. M., Abo-Sinna, M. A., & Hassanien, A. E. (2021). Intuitionistic fuzzy sets and dynamic programming for multi-objective non-linear programming problems. *International journal of fuzzy* systems, 23, 334-352. https://doi.org/10.1007/s40815-020-00973-z
- [21] Singh, S. K., & Yadav, S. P. (2015). Modeling and optimization of multi objective non-linear programming problem in intuitionistic fuzzy environment. *Applied mathematical modelling*, 39(16), 4617-4629. https://www.sciencedirect.com/science/article/pii/S0307904X15002681
- [22] Smarandache, F. (1999). A unifying field in logics: neutrosophic logic. In *Philosophy* (pp. 1-141). American Research Press.
- [23] Ye, J. (2017). Bidirectional projection method for multiple attribute group decision making with neutrosophic numbers. *Neural computing and applications*, 28, 1021-1029. https://doi.org/10.1007/s00521-015-2123-5
- [24] Ye, J. (2018). Neutrosophic number linear programming method and its application under neutrosophic number environments. *Soft computing*, 22, 4639-4646. https://doi.org/10.1007/s00500-017-2646-z
- [25] Ye, J. (2014). Prioritized aggregation operators of trapezoidal intuitionistic fuzzy sets and their application to multicriteria decision-making. *Neural computing and applications*, 25, 1447-1454. https://doi.org/10.1007/s00521-014-1635-8
- [26] Yu, G. F., Li, D. F., Liang, D. C., & Li, G. X. (2021). An intuitionistic fuzzy multi-objective goal programming approach to portfolio selection. *International journal of information technology & decision making*, 20(05), 1477-1497. https://doi.org/10.1142/S0219622021500395
- [27] Wang, H., Smarandache, F., Zhang, Y., & Sunderraman, R. (2010). Single valued neutrosophic sets. Infinite Study.
- [28] Wang, Q., Huang, Y., Kong, S., Ma, X., Liu, Y., Das, S. K., & Edalatpanah, S. A. (2021). A novel method for solving multiobjective linear programming problems with triangular neutrosophic numbers. *Journal* of mathematics, 2021, 1-8. https://doi.org/10.1155/2021/6631762
- [29] Zadeh, L. A. (1965) Fuzzy Sets. Information control, 8(3), 338-353. http://dx.doi.org/10.1016/S0019-9958(65)90241-X

10